JOURNAL OF COATINGS TECHNOLOGY

Annual Index

Volume 65
Numbers 816-827
January—December, 1993

Journal of Coatings Technology
1993 Annual Index

Keyword Subject Index

Prepared by Technical Information
Systems Committee

Additives

Fouling (Anti-) ..... Apr., p. 59
Hardeners ..... Dec., p. 27
Photoinitiators ..... Apr., p. 49
Rheological Agents ..... Sept., p. 53
Thickeners ..... Mar., p. 39

Analysis

Coating Systems ..... Feb., p. 51
Color Computer ..... Dec., p. 45
Corrosion Resistance ..... Nov., p. 27; Dec., p. 45
Dielectric ..... Nov., p. 37
Differential Scanning Calorimetry ..... Aug., p. 57; Sept., p. 53
Electron Beam Curing ..... July, p. 61
Fluorescence Spectroscopy ..... Jan., p. 81
Fourier Transform Infrared Spectroscopy ..... Jan., p. 81; Apr., p. 43; Oct., p. 101
Gas Chromatography ..... Jan., p. 81; May, p. 23; May, p. 31; Oct., p. 101; Dec., p. 37
Gel Permeation Chromatography ..... June, p. 64
Glass Transition Temperature ..... Jan., p. 81; May, p. 59; June, p. 49; Aug., p. 57; Nov., p. 19; Nov., p. 37
Impedance ..... Jan., p. 103; Mar., p. 47; Aug., p. 77; Nov., p. 43
Infrared ..... Apr., p. 35; Nov., p. 27
Nuclear Magnetic Resonance ..... Feb., p. 59
Relaxation Map ..... Nov., p. 37
Scanning Electron Microscopy ..... Aug., p. 47
Solvent Resistance ..... Mar., p. 59
Thermal Field Flow Fractionation ..... July, p. 51
Thermal Splitting ..... Sept., p. 73
Thermally Stimulated Current ..... Nov., p. 37
Thermogravimetric Infrared ..... Oct., p. 101
Thermodynamic ..... May, p. 23; May, p. 31; July, p. 37
Ultraviolet Spectroscopy ..... Apr., p. 49
X-Ray ..... Aug., p. 47; Nov., p. 27
Weathering ..... May, p. 59; Aug. p. 57; Nov., p. 43
Wedgebend Testing ..... Sept., p. 65

Chemical Compounds

Peroxides ..... Dec., p. 37

Chemical Process

Corrosion ..... Mar., p. 67; Nov., p. 27; Nov., p. 43; Dec., p. 45

Coating Components

Acetoacetylated Acrylic ..... June, p. 64
Acrylic ..... Mar., p. 25; Mar., p. 39; Apr., p. 25; Apr., p. 49; Aug., p. 47; Sept., p. 47
Alkyd ..... Aug. p. 47; Sept., p. 47; Sept., p. 73
Amine ..... Aug., p. 57
Amine-ene ..... Mar., p. 59
Epoxy ..... Jan., p. 81; Mar. 25; Mar., p. 67; Aug., p. 57; Sept., p. 65; Nov., p. 43
Esters (Poly-) ..... Apr., p. 43; Sept., p. 73; Nov., p. 19
Isocyanate ..... May, p. 59; July, p. 45
Latex ..... Jan., p. 89; Mar., p. 39; Aug., p. 47
Melamine ..... Mar., p. 47; Apr., p. 43
Phosphates ..... Apr., p. 59
Polyisoprene ..... July, p. 51
Polystyrene ..... July, p. 51
Silane ..... July, p. 57
Styrene ..... Dec., p. 37
Two-Methoxy Cyclic Ethers ..... Feb., p. 59
Urethane (Poly-) ..... Mar., p. 39; Apr., p. 25; May, p. 51; July, p. 45
Water-Based ..... Aug., p. 77
Water-Borne ..... Mar., p. 39
Zinc-Rich ..... Jan., p. 103; June, p. 79; Nov., p. 43

Coatings

Adhesion ..... Mar., p. 25; Apr., p. 59; June, p. 71, July, p. 37; July, p. 57; Sept., p. 65; Dec., p. 21
Architectural ..... Mar., p. 39; Aug., p. 47
Automotive ..... Apr., p. 25; Apr., p. 35; May, p. 59; Oct., p. 101
Barrier ..... July, p. 37; Nov., p. 43
Can ..... Sept., p. 65
Characterization ..... Feb., p. 51
Coil ..... May, p. 59; Sept., p. 65
Container ..... Nov., p. 37
Contamination ..... Aug., p. 77
Conversion ..... Aug., p. 57
Corrosion (Anti-) ..... Jan., p. 103; Mar., p. 47; Mar., p. 67; Apr., p. 59; Nov., p. 43
CPVC ..... June, p. 39
Crosslinking Agents ..... Feb., p. 59; Apr., p. 43; May, p. 59, July, p. 57
Deformation ..... Sept., p. 65
Epoxy ..... Mar., p. 25; Sept., p. 65; Nov., p. 43; Dec., p. 27
Exterior ..... Aug., p. 47
Flash Rust Staining ..... Dec., p. 45

Flexibility ..... July, p. 37
Foaming ..... Sept., p. 47
Formability ..... Sept., p. 65
Gel ..... Sept., p. 53
Hiding ..... Jan., p. 89; June, p. 39
High Solids ..... Apr. , p. 25; Apr., p. 43; May p. 45
Latex ..... Mar., p. 39
Methodology ..... Feb., p. 51
Painting Processes ..... June, p. 29
Performance ..... Feb., p. 51; Mar., p. 25
Permeability ..... Mar., 67
Powder ..... Nov., p. 37
Predictive Models ..... June, p. 29
Primers ..... Apr., p. 35; July, p. 57
Printable ..... June, p. 71
Radiation Curing ..... Mar., p. 59
Rating ..... Feb., p. 51
Resistivity ..... Mar., p. 67
Rheology ..... Mar., p. 39; July, p. 29; Nov., p. 19
Solvent-Based ..... July, p. 29
Stability ..... Oct., p. 113; Nov., p. 19; Dec., p. 27
Surface ..... Dec., p. 37
Thermal Decomposition ..... Dec., p. 37
Thermosetting ..... Feb., p. 59; Apr., p. 35
UV Cure ..... Mar., p. 59; Apr., p. 49
Viscosity ..... Nov., p. 19
Volatile Organic Compounds ..... May, p. 45
Water Based ..... Mar., p. 25; Aug., p. 77
Waterborne ..... July, p. 45; Oct., p. 101; Dec., p. 27; Dec., p. 45
Water Reducible ..... Sept., p. 47; Dec., p. 21
Water Sorption ..... May, p. 51

Color

Instruments ..... Dec., p. 45
Measurement ..... Dec., p. 45

Computer Applications

Color ..... Dec., p. 45
Crosslink Density ..... Mar., p. 59
Drying ..... Dec., p. 45
Factorial Design ..... Mar., p. 47
Particle Size ..... Jan., p. 89
Statistical Design ..... Feb., p. 51

Films

Curing ..... Apr., p. 49
Formation ..... Jan., p. 89; June, p. 39
Interfacial Interaction ..... Aug., p. 67
Latex ..... June, p. 39
Moisture Resistance ..... May, p. 51
Performance ..... May, p. 51
Thickness ..... Jan., p. 89; June, p. 29
Wetting ..... Dec., p. 21

Formulation

CPVC ..... Jan., p. 89; June, p. 39
Foam Control ..... Sept., p. 47
Hiding ..... Jan., p. 89; June, p. 39
High Solids ..... Apr., p. 25; May, p. 45
Michael Addition Reaction ..... June, p. 64
Models ..... Feb., p. 59; June, p. 29; June, p. 71; Aug., p. 57
Parameters ..... Dec., p. 21
Powder ..... Nov., p. 19
Printable Coatings ..... June, p. 71
Solvents ..... May, p. 59; Aug., p. 57
Statistical Design ..... Feb. , p. 51

Industry Management

Regulatory ..... May, p. 67
Safety ..... Dec., p. 27

Manufacturing

Dispersion ..... Oct., p. 113
Overspray Paint Handling ..... Oct., p. 101

Oils

Castor Oil ..... Sept., p. 73
Triglyceride ..... Dec., p. 37

Optics Color

Gloss ..... July, p. 29; Nov., p. 43

Pigments

Absorption ..... June, p. 49; July, p. 37
Adhesion ..... July, p. 37
Calcium Carbonate ..... Aug., p. 47
Corrosion (Anti-) ..... Nov., p. 43
Dispersion ..... June, p. 79; July, p. 29; Aug., p. 67
Extenders ..... Jan., p. 103; Aug., p. 47
Fillers ..... May, p. 23; May, p. 31; July, p. 37
Flocculation ..... Mar., p. 39; July, p. 29
Hiding ..... June, p. 39
Intermolecular Interactions ..... May, p. 23; May, p. 31
Particles ..... June, p. 39; June, p. 79; July, p. 29, Aug., p. 67; Sept., p. 53; Oct., p. 101
Red Lead ..... Mar., p. 67
Silica ..... June, p. 49
Surfaces ..... May, p. 23; July, p. 37
Titanium Dioxide ..... Jan., p. 89; May, p. 67; June, p. 39, June, p. 49; July, p. 37; Aug., p. 67
Zinc Chromate ..... Mar., p. 67
Zinc Dust ..... June, p. 79
Zinc-Rich ..... Jan., p. 103; June, p. 79; Nov., p. 43

Polymeric Components

Acetoacetylated Acrylic ..... June, p. 64
Acrylic ..... Mar., p. 25; Mar., p. 39; Apr., p. 25; Sept., p. 47
Alkyd ..... Apr., p. 49; Aug., p. 47; Sept., p. 47; Sept., p. 73
Amide (Poly-) ..... Jan., p. 81
Amine ..... Aug., p. 57
Epoxy ..... Jan., p. 81; Mar., p. 25; Mar., p. 67; Aug., p. 57; Sept., p. 65; Nov., p. 43; Dec., p. 27
Isocyanate ..... May, p. 59; July, p. 45
Melamine ..... Mar., p. 47; Apr., p. 43
Methyl Methacrylate (Poly-) ..... June p. 49
Phenolic ..... Mar., p. 25
Solutions ..... Sept., p. 47
Urethane (Poly-) ..... Mar., p. 39; Apr., p. 25; May, p. 51; July, p. 45

Polymers

Adsorption ..... Aug., p. 67
Curing ..... July, p. 61

Design ..... May, p. 59
Gel ..... Sept., p. 53
Opaque ..... June, p. 39
Thermosetting ..... Feb., p. 59; Apr., p. 35
Viscosity ..... Mar., p. 39

Pretreat Application

Drying ..... Dec., p. 45
Paint Booth Operations ..... Oct., p. 101
Spray ..... Oct., p. 101
UV Curing ..... Apr., p. 49

Solvents

Characterization ..... Oct., p. 101
Nonpolar/Polar ..... May, p. 59; Aug., p. 67

Substrates

Aluminum ..... Nov., p. 27; Nov., p. 37
Can ..... Mar., p. 25; Sept., p. 65
Metal ..... Mar., p. 47
Polypropylene-Based ..... Dec., p. 21
Roughness ..... June, p. 29
Sheet Molding Compound ..... Apr., p. 35; Nov., p. 27; Nov., p. 37
Steel ..... Jan., p. 103; Mar., p. 25; Apr., p. 59; Dec., p. 45

Alphabetical Listing of Papers

A

AC Impedance Analysis and Factorial Designs of an *In-Situ* Phosphatizing Coating—D.A. Meldrum and C-T. Lin, Mar., p. 47.
Adsorption Layer Thickness of Poly(methyl methacrylate) on Titanium Dioxide and Silica—C.R. Hegedus and I.L. Kamel, June, p. 49.
Adsorption Phenomena of Polymers Having Functional Groups on TiO_2 Particles in Nonpolar Solvent—H. Idogawa, O. Shimizu, and K. Esumi, Aug., p. 67.
Amine-ene Technology III: Investigation of the Properties of Some Branched Maleate Oligomers in Ultraviolet Light Curable, Amine-ene Coatings—G.K. Noren, Mar., p. 59.

B

Behavior of Some Anticorrosive Epoxy-Polyamide Primers Free of Lead and Chromate and in the Presence of Chloride Ions—A. Ruvolo-Filho and E.S. da Costa, Mar., p. 67.

C

Characterization of Solvents and Solids in Boothwater from Waterborne Paint—S.F. Kia, D.N. Rai, G.L. Ryan, D.J. McEwan, R.L. Williams, and F. Lipari, Oct., p. 101.
Coatings Applications of Thermosetting Cure Diagrams: Off-Stoichiometric High-T_g Epoxy/Amine Systems—S.L. Simon and J.K. Gillham, Aug., p. 57.
Coatings Characterization by Thermally Stimulated Current (TSC) and Relaxation Map Analysis (RMA)—C.M. Neag, J.P. Ibar, J.R. Saffell, and P. Denning, Nov., p. 37.
Comments on the Vise/Clamp Test for Blocking Resistance—E.F. Meyer, III, Oct., p. 137.
Cure-Induced Particle Migration Within Polymer Coatings—R.C. Chan and D.L. Feke, Sept., p. 53.

D

Development of a Predictive Model for the Changes in Roughness that Occur During the Painting Process—P-A. P. Ngo, G.D. Cheever, R.A. Ottaviani, and T. Malinski, June, p. 29.
Development of High Performance, Water-Based Emulsion Coatings for Can Coatings Application—S. Kojima, T. Moriga, and Y. Watanabe, Mar., p. 25.

E

Effect of Polyethyleneimine on Phosphate Coatings on Mild Steel—U.B. Nair and M. Subbaiyan, Apr., p. 59.
Effects of Acidic Deposition on Paint: A Chamber Study—J.W. Spence, T.J. Lemmons, Y. Hou, R.J. Schadt, R.E. Fornes, and R.D. Gilbert, Aug., p. 47.
An Efficient Impedimetric Procedure to Demonstrate Bacterial Contamination in Water-Based Coatings and Their Raw Materials—P.A. Jaquess and M.C. McLaurin, Aug., p. 77.
Electrostatic Charge and Pigment Stabilizing Properties of Fine Particle Sized Barium Sulfates—J. Winkler, July, p. 29.
Evolution of the Protective Mechanisms of Zinc-Rich Paints During Atmospheric Exposure—S. Feliu, Jr., M. Morcillo, J.M. Bastidas, and S. Feliu, Nov., p. 43.

F

Formability Improvement of Epoxy Can and Coil Coatings I. Blends of Epoxy Phosphate Esters—J.L. Massingill, Jr. and R.C. Whiteside, Sept., p. 65.
Formulating Printable Coatings via D-Optimality—K.W. Chau and W.R. Kelley, June, p. 71.

I

Influence of Extender Pigments on the Performance of Ethyl Silicate Zinc-Rich Paints—F.L. Fragata, C.R.S. Mussoi, C.F. Moulin, I.C.P. Margarit, and O.R. Mattos, Jan., p. 103.
Influence of Imidazoline Content and Water on the Reaction between Amidoamine and Epoxy Resins—R.F. Brady, Jr. and J.M. Charlesworth, Jan., p. 81.
Influence of Particle Size Distribution of Zinc Dust in Water-Based, Inorganic, Zinc-Rich Coatings—E. Montes, June, p. 79.
Infrared Microscopic Analysis of Multiple Layers of Automotive Paints—D.J. McEwen and G.D. Cheever, Apr., p. 35.
Interactions of HEUR Associative Thickeners with Waterborne Polyurethanes—J.P. Kaczmarski, R.H. Fernando, and J.E. Glass, Mar., p. 39.

L

Low-Temperature Curing Higher-Solids Polyester Coatings with Melamine-Formaldehyde Resin Crosslinkers—G. Chu and F.N. Jones, Apr., p. 43.

M

Measurement of Foaminess of Water-Reducible Coating Polymer Solutions—J. Kozakiewicz, J. Zhu, and G.P. Bierwagen, Sept., p. 47.

A Methodology for Evaluating the Total Performance of Coatings and Coating Systems—M. Simakaski and C.R. Hegedus, Feb., p. 51.

Model Crosslinkers for Polyols. Kinetics of Transetherification of 2-Methoxy Cyclic Ethers—M. Arai and S.P. Pappas, Feb., p. 59.

N

New Lower-Voltage EB Systems for Curing Polymers and Coatings—P.M. Fletcher, July, p. 61.

A New Method for the Styrenation of Triglyceride Oils for Surface Coatings—F.S. Erkal, A.T. Erciyes, and Y. Yagci, Dec., p. 37.

New Monomers for Polyester Powder Coating Resins—L.K. Johnson and W.T. Sade, Nov., p. 19.

New Oxazolidine-Based Moisture Scavenger for Polyurethane Coating Systems—G.N. Robinson, J.F. Alderman, and T.L. Johnson, May, p. 51.

Novel Waterborne Epoxy Resin Emulsion—A. Wegmann, Dec., p. 27.

O

Oil-Modified Alkyd Type Resin Based on Secondary Esters of Castor Oil—A.T. Erciyes, F.S. Erkal, and A. Kalipci, Sept., p. 73.

P

Polymer-Filler Interaction Effects on Coating Properties—C.R. Hegedus and I.L. Kamel, July, p. 37.

Polymetallosiloxane Coatings Derived from Two-Step, Acid-Base Catalyzed Sol Precursors for Corrosion Protection of Aluminum Substrates—T. Sugama, J.R. Fair, and A.P. Reed, Nov., p. 27.

Polyurethane Polyols: Ester-Bond Free Resins for High Solids Coatings—J.L. Gardon, Apr., p. 24.

Preparation and Properties of Blocked Dimethyl m-Isopropenyl Benzyl Isocyanate for One-Component Coatings—H.R. Lucas and K-J. Wu, May, p. 59.

R

Recent Advances in UV-Curing Chemistry—C. Decker and K. Moussa, Apr., p. 49.

A Review of Inverse Gas Chromatography Theory Used in the Thermodynamic Analysis of Pigment and Polymer Surfaces—C.R. Hegedus and I.L. Kamel, May, p. 23.

S

A Silane Primer: Chemistry and Applications of Alkoxy Silanes—G.L. Witucki, July, p. 57.

Stability of Dispersion—T. Sato, Oct., p. 113.

Studies in the Thermal Diffusion of Copolymers Using Field-Flow Fractionation—M.E. Schimpf, C. Rue, G. Mercer, L.M. Wheeler, and P.F. Romeo, July, p. 51.

T

Thermodyamic Analysis of Pigment and Polymer Surfaces Using Inverse Gas Chromatography—C.R. Hegedus and I.L. Kamel, May, p. 31.

Titanium Dioxide Pigments Industry in the 1990s—Problems and Profits—J.R. Fisher, May, p. 67.

Two-Component Waterborne Polyurethane Coatings—P.B. Jacobs and P.C. Yu, July, p. 45.

U

Use of Formic Acid in Controlling the Rate of the Michael Addition Reaction in Base Catalyzed, Thermally Cured Acetoacetylated Acrylic/TMPTA Coatings—T. Li and J.C. Graham, June, p. 63.

W

Water-Reducible Adhesion Promoters for Coatings on Polypropylene-Based Substrates—J.E. Lawniczak, P.J. Greene, R. Evans, and C. Sass, Dec., p. 21.

Open Forum

Comments on the Vise/Clamp Test for Blocking Resistance—E.F. Meyer, III, Oct., p. 137.

New Lower-Voltage EB Systems for Curing Polymers and Coatings—P.M. Fletcher, July, p. 61.

Titanium Dioxide Pigments Industry in the 1990s—Problems and Profits—J.R. Fisher, May, p. 67.

Author Index

A

ALDERMAN, J.F.—See Robinson, G.N.
ARAI, M. and PAPPAS, S.P.—Model Crosslinkers for Polyols. Kinetics of Transetherification of 2-Methoxy Cyclic Ethers, Feb., p. 59.

B

BASTIDAS, J.M.—See Feliu, S., Jr.
BIERWAGEN, G.P.—See Kozakiewicz, J.
BRADY, R.F. JR., and CHARLESWORTH, J.M.—Influence of Imidazoline Content and Water on the Reaction between Amidoamine and Epoxy Resins, Jan., p. 81.

C

CHAN, R.C. and FEKE, D.L.—Cure-Induced Particle Migration Within Polymer Coatings, Sept., p. 53.
CHARLESWORTH, J.M.—See Brady, R.F. Jr.
CHAU, K.W. and KELLEY, W.R.—Formulating Printable Coatings via D-Optimality, June, p. 71.
CHEEVER, G.D.—See McEwen, D.J.
CHEEVER, G.D.—See Ngo, P-A. P.
CHU, G. and JONES, F.N.—Low-Temperature Curing Higher-Solids Polyester Coatings with Melamine-Formaldehyde Resin Crosslinkers, Apr., p. 43.

D

DA COSTA, E.S.—See Ruvolo-Filho, A.
DECKER, C. AND MOUSSA, K.—Recent Advances in UV-Curing Chemistry, Apr., p. 49.
DENNING, P.—See Neag, C.M.

E

ERCIYES, A.T.—See Erkal, F.S.
ERCIYES, A.T., ERKAL, F.S., AND KALIPCI, A.—Oil-Modified Alkyd Type Resin Based on Secondary Esters of Castor Oil, Sept., p. 73.
ERKAL, F.S., ERCIYES, A.T., and YAGCI, Y.—A New Method for the Styrenation of Triglyceride Oils for Surface Coatings, Dec., p. 37.
ERKAL, F.S.—See Erciyes, A.T.
ESUMI, K.—See Idogawa, H.
EVANS, R.—See Lawniczak, J.E.

F

FAIR, J.R.—See Sugama, T.
FEKE, D.L.—See Chan, R.C.
FELIU, S., JR., MORCILLO, M., BASTIDAS, J.M., and FELIU, S.—Evolution of the Protective Mechanisms of Zinc-Rich Paints During Atmospheric Exposure, Nov., p. 43.
FELIU, S.—See Feliu, S., Jr.
FERNANDO, R.H.—See Kaczmarski, J.P.
FISHER, J.R.—Titanium Dioxide Pigments Industry in the 1990s—Problems and Profits, May, p. 67.
FLETCHER, P.M.—New Lower-Voltage EB Systems for Curing Polymers and Coatings, July, p. 61.
FORNES, R.E.—See Spence, J.W.
FRAGATA, F.L., MUSSOI, C.R.S., MOULIN, C.F., MARGARIT, I.C.P., and MATTOS, O.R.—Influence of Extender Pigments on the Performance of Ethyl Silicate Zinc-Rich Paints, Jan., p. 103.

G

GARDON, J.L.—Polyurethane Polyols: Ester-Bond Free Resins for High Solids Coatings, Apr., p. 25.
GILBERT, R.D.—See Spence, J.W.
GILLHAM, J.K.—See Simon, S.L.
GLASS, J.E.—See Kaczmarski, J.P.
GREENE, P.J.—See Lawniczak, J.E.
GRAHAM, J.C.—See Li, T.

H

HEGEDUS, C.R. and KAMEL, I.L.—A Review of Inverse Gas Chromatography Theory Used in the Thermodynamic Analysis of Pigment and Polymer Surfaces, May, p. 23.
HEGEDUS, C.R. and KAMEL, I.L.—Adsorption Layer Thickness of Poly(methyl methacrylate) on Titanium Dioxide and Silica, June, p. 49.
HEGEDUS, C.R. and KAMEL, I.L.—Polymer-Filler Interaction Effects on Coating Properties, July, p. 37.
HEGEDUS, C.R. and KAMEL, I.L.—Thermodyamic Analysis of Pigment and Polymer Surfaces Using Inverse Gas Chromatography, May, p. 31.
HEGEDUS, C.R.—See Simakaski, M.
HOU, Y.—See Spence, J.W.

I

IDOGAWA, H., SHIMIZU, O., and ESUMI, K.—Adsorption Phenomena of Polymers Having Functional Groups on TiO_2 Particles in Nonpolar Solvent, Aug., p. 67.
IBAR, J.P.—See Neag, C. M.

J

JACOBS, P.B. and YU, P.C.—Two-Component Waterborne Polyurethane Coatings, July, p. 45.
JAQUESS, P.A. and McLAURIN, M.C.—An Efficient Impedimetric Procedure to Demonstrate Bacterial Contamination in Water-Based Coatings and Their Raw Materials, Aug., p. 77.
JOHNSON, L.K. and SADE, W.T.—New Monomers for Polyester Powder Coating Resins, Nov., p. 19.
JOHNSON, T.L.—See Robinson, G.N.
JONES, F.N.—See Chu, G.

K

KACZMARSKI, J.P., FERNANDO, R.H., and GLASS, J.E.—Interactions of HEUR Associative Thickeners with Waterborne Polyurethanes, Mar., p. 39.
KALIPCI, A.—See Erciyes, A.T.
KAMEL, I.L.—See Hegedus, C.R.

KAMEL, I.L.—See Hegedus, C.R.
KAMEL, I.L.—See Hegedus, C.R.
KAMEL, I.L.—See Hegedus, C.R.
KELLEY, W.R.—See Chau, K.W.
KIA, S.F., RAI, D.N., RYAN, G.L., McEWAN, D.J., WILLIAMS, R.L., and LIPARI, F.—Characterization of Solvents and Solids in Boothwater from Waterborne Paint, Oct., p. 101.
KOJIMA, S., MORIGA, T., and WATANABE, Y.—Development of High Performance, Water-Based Emulsion Coatings for Can Coatings Application, Mar., p. 25.
KOZAKIEWICZ, J., ZHU, J., and BIERWAGEN, G.P.—Measurement of Foaminess of Water-Reducible Coating Polymer Solutions, Sept., p. 47.

L

LAWNICZAK, J.E., GREENE, P.J., EVANS, R., AND SASS, C.—Water-Reducible Adhesion Promoters for Coatings on Polypropylene-Based Substrates, Dec., p. 21.
LEMMONS, T.J.—See Spence, J.W.
LI, T. and GRAHAM, J.C.—Use of Formic Acid in Controlling the Rate of the Michael Addition Reaction in Base Catalyzed, Thermally Cured Acetoacetylated Acrylic/TMPTA Coatings, June, p. 63.
LIN, C-T.—See Meldrum, D.A.
LIPARI, F.—See Kia, S.F.
LUCAS, H.R. and WU, K-J.—Preparation and Properties of Blocked Dimethyl m-Isopropenyl Benzyl Isocyanate for One-Component Coatings, May, p. 59.

M

MALINSKI, T.—See Ngo, P-A. P.
MARGARIT, I.C.P.—See Fragata, F.L.
MASSINGILL, J.L. JR., and WHITESIDE, R.C.—Formability Improvement of Epoxy Can and Coil Coatings I. Blends of Epoxy Phosphate Esters, Sept., p. 65.
MATTOS, O.R.—See Fragata, F.L.
McEWAN, D.J.—See Kia, S.F.
McEWEN, D.J. and CHEEVER, G.D.—Infrared Microscopic Analysis of Multiple Layers of Automotive Paints, Apr., p. 35.
McLAURIN, M.C.—See Jaquess, P.A.
MELDRUM, D.A. and LIN C-T.—AC Impedance Analysis and Factorial Designs of an *In-Situ* Phosphatizing Coating, Mar., p. 47.
MERCER, G.—See Schimpf, M.E.
MEYER, E.F., III—Comments on the Vise/Clamp Test for Blocking Resistance, Oct., p. 137.
MONTES, E.—Influence of Particle Size Distribution of Zinc Dust in Water-Based, Inorganic, Zinc-Rich Coatings, June, p. 79.
MORCILLO, M.—See Feliu, S., Jr.
MORIGA, T.—See Kojima, S.
MOULIN, C.F.—See Fragata, F.L.
MOUSSA, K.—See Decker, C.
MUSSOI, C.R.S.—See Fragata, F.L.

N

NAIR, U.B. and SUBBAIYAN, M.—Effect of Polyethyleneimine on Phosphate Coatings on Mild Steel, Apr., p. 59.
NEAG, C.M., IBAR, J.P., SAFFELL, J.R., and DENNING, P.—Coatings Characterization by Thermally Stimulated Current (TSC) and Relaxation Map Analysis (RMA), Nov., p. 37.
NGO, P-A. P., CHEEVER, G.D., OTTAVIANI, R.A., and MALINSKI, T.—Development of a Predictive Model for the Changes in Roughness that Occurs During the Painting Process, June, p. 29.
NOREN, G.K.—Amine-ene Technology III: Investigation of the Properties of Some Branched Maleate Oligomers in Ultraviolet Light Curable, Amine-ene Coatings, Mar., p. 59.

O

OTTAVIANI, R.A.—See Ngo, P-A. P.

P

PAPPAS, S.P.—See Arai, M.

R

RAI, D.N.—See Kia, S.F.
REED, A.P.—See Sugama, T.
ROBINSON, G.N., ALDERMAN, J.F., and JOHNSON, T.L.—New Oxazolidine-Based Moisture Scavenger for Polyurethane Coating Systems, May, p. 51.
ROMEO, P.F.—See Schimpf, M.E.
RUE, C.—See Schimpf, M.E.
RUVOLO-FILHO A. and DA COSTA, E.S.—Behavior of Some Anticorrosive Epoxy-Polyamide Primers Free of Lead and Chromate and in the Presence of Chloride Ions, Mar., p. 67.
RYAN, G.L.—See Kia, S.F.

S

SADE, W.T.—See Johnson, L.K.
SAFFELL, J.R.—See Neag, C.M.
SASS, C.—See Lawniczak, J.E.
SATO, T.—Stability of Dispersion, Oct., p. 113.
SCHADT, R.J.—See Spence, J.W.
SCHIMPF, M.E., RUE, C., MERCER, G., WHEELER, L.M., and ROMEO, P.F.—Studies in the Thermal Diffusion of Copolymers Using Field-Flow Fractionation, July, p. 51.
SHIMIZU, O.—See Idogawa, H.
SIMAKASKI, M. and HEGEDUS, C.R.—A Methodology for Evaluating the Total Performance of Coatings and Coating Systems, Feb., p. 51.
SIMON, S.L. and GILLHAM, J.K.—Coatings Applications of Thermosetting Cure Diagrams: Off-Stoichiometric High-T_g Epoxy/Amine Systems, Aug., p. 57.
SPENCE, J.W., LEMMONS, T.J., HOU, Y., SCHADT, R.J., FORNES, R.E., and GILBERT, R.D.—Effects of Acidic Deposition on Paint: A Chamber Study, Aug., p. 47
SUBBAIYAN, M.—See Nair, U.B.
SUGAMA, T., FAIR, J.R., and REED, A.P.—Polymetallosiloxane Coatings Derived from Two-Step, Acid-Base Catalyzed Sol Precursors for Corrosion Protection of Aluminum Substrates, Nov., p. 27.

W

WATANABE, Y.—See Kojima, S.
WEGMANN, A.—Novel Waterborne Epoxy Resin Emulsion, Dec., p. 27.

WHEELER, L.M.—See Schimpf, M.E.
WHITESIDE, R.C.—See Massingill, J.L., Jr.
WILLIAMS, R.L.—See Kia, S.F.
WINKLER, J.—Electrostatic Charge and Pigment Stabilizing Properties of Fine Particle Sized Barium Sulfates, July, p. 29.
WITUCKI, G.L.—A Silane Primer: Chemistry and Applications of Alkoxy Silanes, July, p. 57.
WU, K-J.—See Lucas, H.R.

Y

YAGCI, Y.—See Erkal, F.S.
YU, P.C.—See Jacobs, P.B.

Z

ZHU, J.—See Kozakiewicz, J.

Constituent Society Papers

Changes in Hiding During Latex Film Formation Part V. Effect of Opaque Polymer—Cleveland Society for Coatings Technology, June, p. 39.
Changes in Hiding During Latex Film Formation: Part IV. Effect of Toning and Film Thickness—Cleveland Society for Coatings Technology, Jan., p. 89.
Clear Liquid Separation in Latex Paints Containing Cellulosic/Associative Thickener Systems—Cleveland Society for Coatings Technology, Oct., p. 123.
Development and Evaluation of a New Spectrophotometer Integration Technique for Flash Rust Staining Determination—St. Louis Society for Coatings Technology, Dec., p. 45.
Suitability of ASTM Test Method D 2369 for Determination of VOC in High Solids Coatings—Philadelphia Society for Coatings Technology, May, p. 45.

Latest in CD-ROM Technology to Assist Coatings Industry, as FSCT and NPCA Introduce Coatings MSDS System

The FSCT and the Technical Committee of the Chicago Society, in cooperation with the National Paint & Coatings Association, are developing the Coatings MSDS System for paint and coatings manufacturers. The Coatings MSDS System uses the latest in compact disc technology (CD-ROM) to compile an ever-expanding data base of the MSDSs used by the Coatings Industry.

The Coatings MSDS System

- Fills the need for a simple, durable, and accessible storage system using the latest in CD-ROM technology.
- Is fully accepted by the U.S. Government for data storage—MSDSs are input, optically or electronically, onto the CD-ROM *(Compact Disc-Read Only Memory)* which cannot be altered in any way.

The FSCT is now accumulating MSDSs from raw material suppliers.

In addition, the FSCT is currently discussing with the National Paint & Coatings Association the possibility of including NPCA's Raw Material Index on the CD-ROM, which should provide an additional value to the industry.

New and Revised MSDSs Updated Quarterly

Available by annual subscription, updated CD-ROMs will be forwarded quarterly. The updated versions will contain all of the original MSDSs **plus** all new and revised MSDSs. Superseded MSDSs, while remaining on the file (as required by law), will be flagged to alert the user that they have been replaced by a more recent version.

Organized for Easy Access

All of the information on the MSDSs comes fully indexed, making it possible to find specific items in a matter of seconds. It's this accessibility, combined with the volume of information, that makes the Coatings MSDS System so attractive. Window and menu-driven software, together with a particularly simple yet powerful search software program called Personal Librarian, included with the CD-ROM, permits the user to search for specific items or general categories. By using key words, combinations of words, or CAS number, the user can quickly and easily compile a listing of all pertinent MSDSs.

With the Coatings MSDS System, you can use the stored information directly on your computer screen, or produce a "hard copy" off your regular printer.

Create Your Own MSDSs

You can create your own MSDSs by directly incorporating information from the MSDSs stored on the CD-ROM. Besides saving time, this means that your MSDSs will contain the identical data shown on the original MSDS.

Frequently used MSDSs may be offloaded and filed into your own PC, assuring that an up-to-date listing is maintained for each department's use.

In addition, software will include a customization feature which will allow each subscriber to code and identify MSDSs of raw materials used at their location.

Designed for Personal Computers

The Coatings MSDS System requires an inexpensive CD-ROM drive and may be used on both IBM compatible (PC/AT 386 or greater with MS.DOS 3.3 or later, with Microsoft Windows 3.0 or later, and 2 MB of RAM) or Apple Macintosh SE/30 or Macintosh II family with 2 MB of RAM. Host adapters and SCSI interface cables are also required.

◆ ◆ ◆

If you have any questions concerning the Coatings MSDS System, please contact Michele Wollheim at Accu-Mem (708) 670-7030, or FSCT Headquarters, at (215) 940-0777.